

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	36257	(FORSBERG near1 DAN) NOKIA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 22:33
L2	1247	1 and (((secur\$3 protected) adj3 (tunnel\$4 or connec\$4 or communicat\$4 link\$3 path channel\$4 passag\$3)) ssl)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 22:34
L3	1251	1 and (((secur\$3 protected) adj3 (tunnel\$4 or connec\$4 or communicat\$4 link\$3 path channel\$4 passag\$3 socket)) ssl)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 22:35
L4	479	2 and (authenticat\$3 near11 ((tunnel\$4 or connec\$4 or communicat\$4 link\$3 path channel\$4 passag\$3 socket) ssl))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 22:37
L5	31	4 and (denial near1 service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 22:41
L6	9068	(726/3,4,22,23,26,27).ccls. 713/168.ccls. (709/223,224,229) 380/247. ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 23:06
L7	3402	6 and (((secur\$3 protected) adj3 (tunnel\$4 or connec\$4 or communicat\$4 link\$3 path channel\$4 passag\$3 socket)) ssl)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 23:07
L8	1876	7 and (authenticat\$3 near11 ((tunnel\$4 or connec\$4 or communicat\$4 link\$3 path channel\$4 passag\$3 socket) ssl))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 23:07
L9	186	8 and (denial near1 service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 23:08

L10	107	9 and (authenticat\$3 same (simultaneous\$3 parallel\$4 tim\$3 partial\$4 overlap\$3 combin\$3 combination\$2) same (tunnel\$3 connect\$3 communicat\$4 link\$3 channel\$3 path passag\$3 ssl socket))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 23:09
L11	93	10 and ((protocol authenticat\$3) near3 (method type kind technique scheme mechanism procedure))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 23:24
L12	66	11 and ((protocol authenticat\$3) near5 (stag\$3 phas\$3 step part period while))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 23:29
L13	48	12 and (authenticat\$3 near2 (client device equipment unit computer PC mobile or cellular or wireless or machine or portable or workstation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 23:42
L14	44	13 and (protocol near7 (client user device or equipment or mobile or cellular or wireless portable or machine or computer or workstation or unit PC))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 23:46
L15	224831	((secur\$3 protected) adj3 (tunnel\$4 or connec\$4 or communicat\$4 link\$3 path channel\$4 passag\$3 socket)) ssl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 23:59
L16	17308	15 and (authenticat\$3 near11 ((tunnel\$4 or connec\$4 or communicat\$4 link\$3 path channel\$4 passag\$3 socket) ssl))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/04 00:00
L17	1217	16 and (denial near1 service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/04 00:01
L18	819	17 and (authenticat\$3 same (simultaneous\$3 parallel\$4 tim\$3 partial\$4 overlap\$3 combin\$3 combination\$2) same (tunnel\$3 connect\$3 communicat\$4 link\$3 channel\$3 path passag\$3 ssl socket))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/04 00:01
L19	758	18 and ((protocol authenticat\$3) near3 (method type kind technique scheme mechanism procedure))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/04 00:01

L20	540	19 and (authentication\$3 near2 (client device equipment unit computer PC mobile or cellular or wireless or machine or portable or workstation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/04 00:02
L21	476	20 and (protocol near7 (client user device or equipment or mobile or cellular or wireless portable or machine or computer or workstation or unit PC))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/04 00:02
L22	382	21 and ((protocol authentication\$3) near5 (stage\$3 phase\$3 step part period while))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/04 00:03
L26	189	22 and ((identification identifying pin sim serial ID identity) near1 (client device equipment unit computer PC mobile or cellular cell or wireless or machine or portable or workstation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/04 00:09
L27	46	26 and @ad<"20021119"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/04 00:10
L31	4	6 and ((authentication\$3 verification validation\$3 authorization\$6) same (client user device or equipment or mobile or cellular or wireless or machine or computer or workstation or unit system) and (security\$3 protected) same (tunnel\$4 connection\$4 communication\$4 link\$3 path channel\$4 passage\$3 line ssl socket) and (denial DoS DDoS) and (simultaneous\$3 parallel\$4 time\$3 partial\$4 overlap\$3 combination\$3 combination\$2 period during interval) and protocol and (method type kind technique scheme mechanism procedure) and network\$3). CLM.	US-PGPUB	OR	ON	2008/06/04 00:16

6/4/2008 12:18:15 AM

C:\Documents and Settings\hnohahar\My Documents\EAST\Workspaces\10714638.wsp